

Version Dll: V2.0.0.0

.NET Framework 4.5

Inheritance Hierarchy

[System.Object](#)

[System.IO.Ports.SerialPort](#)

[System.Text](#)

Namespace: Cebek_DLL_T101

Assembly: System (in System.dll)

Syntax

```
'C# Using  
using Cebek_DLL_T101
```

```
'C# Declaration  
instance = New Cebek_DLL_T101.T101_dll ();
```

```
'VB Imports  
Imports Cebek_DLL_T101
```

```
'VB Declaration  
Public instance As New Cebek_DLL_T101.T101_dll
```

The Cebek_DLL_T101 type exposes the following members.

Constructors

Name	Description
.T101_dll	Initializes a new instance of the T101_dll class.

Version Dll: V2.0.0.0

.NET Framework 4.5

Properties

Name	Description
PortName	Gets or sets the name port connected.
BaudRate	Gets or sets the serial baud rate.
Parity	Gets or sets the parity checking protocol.
StopBits	Gets or sets the standard number of stop bits per byte.
DataBits	Gets or sets the standard length of data bits per byte.
Handshake	Gets or sets the handshaking protocol for serial port transmission of data.
Activity	Indicates activity between the port and the T101 module.

Methods

Name	Description
Connect	Connect with the interface module T101.
Disconnect	Disconnect the interface module T101.
Reset	Completely reset the T101 module.
ReadInput	Read digital input module T101. Returns true or false according to the state of the input. (boolean type)
WriteOutput	This written output module T101. False is off. True is on. (boolean type)

Version Dll: V2.0.0.0

.NET Framework 4.5

Version Information

.NET Framework

Supported in: 4.5, 4, 3.5, 3.0, 2.0

.NET Framework Client Profile

Supported in: 4, 3.5 SP1

Platforms

Windows 8, Windows Server 2012, Windows 7, Windows Vista SP2, Windows Server 2008 (Server Core Role not supported), Windows Server 2008 R2 (Server Core Role supported with SP1 or later; Itanium not supported)